


The Reveleris™ System* Saves Time and Elin

Simple and Intuitive Interfacing guides the user and gives status prompts and alerts together with online diagnostics and network data retrieval. The adjustable single-panel touch screen is simple to navigate and control. Fraction tracking is managed by a real-time color display with peak-to-tube and tray correlation making it easy to choose the right fractions for workup.


Plug-n-Play Interaction incorporates automated solid or liquid sample loading, auto-air purge of spent cartridges, and a self-cleaning injection valve. Radio Frequency Identification (RFID) recognizes Reveleris™ cartridges and auto populates cartridge, flow rate, and run-time parameters for ideal separations. Fraction trays, also equipped with RFID tags and optical sensors, trigger run pausing upon removal giving continuous access to fractions for post-run analysis.

Compact Ergonomic Design features a small footprint that fits easily into a standard fume hood. The 12" tilt screen is fully adjustable to accommodate variable viewing heights and easy access to solvents. Cartridges and service panels are conveniently located in the front of the system.

Enhanced Solvent Flexibility delivers binary gradient functionality with four solvent selection, extended reservoir capacity, and chromophoric solvent capability. Solvent management is simplified by automatic waste level and leak detection. Simultaneously purge solvent lines for rapid solvent switching. Solvent safety features include anti-static solvent lines, cartridge pressure sensing, and auto-flow stop if the collection tray is removed.



ninates the Guesswork in your Purifications!





Detect More

Collect smarter, avoid sample loss, save time

The proprietary **Reveal**X[™] detection technology of the Reveleris[™] flash chromatography system integrates multiple detector signals with advanced signal processing to recognize peaks and collect previously undetected compounds. The split fluidics design and multiple channel detection by UV and ELSD (Evaporative Light Scattering Detection) trigger sophisticated fraction collection yielding more targeted samples with fewer impurities in less time.

How RevealX™ Technology Works





User interface clearly shows multiple detection channels and fraction data to peak correlation.

Note: Detection of non-UV active compounds.




Recover More

Increase yields, resolve more, reduce runtimes

Reveleris™ SRC cartridges incorporate the advanced benefits of Speed, Resolution, and higher Capacity. The cartridges have increased durability to withstand higher pressures (up to 200psig) and deliver greater loading capacity. A smaller particle size increases resolution. Tighter particle size distribution and minimal fines keep backpressure low. The RFID tag streamlines instrument operation by auto loading cartridge specifications. The cartridges are also compatible with other popular flash systems.

Higher Loading Capacity Saves Time and Money







Reveleris [™] System Specifications			
Display	Windows® based graphical LCD touchscreen with full onscreen QWERTY keyboard		
Data Entry	Touchscreen or USB connection to mouse/ keyboard		
Solvent Delivery System	High pressure pumps. 4 Independent channels with up to 4 solvents in a single run		
Flow Rate	4-200mL/min +/- 3%		
Maximum Pressure	200psig		
Gradients	Linear, step, isocratic. Four solvent binary. Onscreen midrun gradient adjustment.		
Sample Injection	Automated Liquid or Solid Sample Modes, Solid Injection: 5g-70g Liquid Injection: 10mL-140mL		
Sample Loader Plunger	15mL, 75mL, 150mL		
UV Wavelength Range	200-360nm		
Accommodates Cartridge Sizes	4g-330g (Luer Type)		
Triggers	UV signals, ELSD signal, slope, and threshold		
Fraction Collection Trays	Holds two 5"x12" trays, RFID "hot swap" capable, Multi-position racks for 12, 13, 16, 18, 25mm tubes, 480mL bottles		
Power Options:	120/240V, 50/60Hz, 10A		
Instrument Dimensions:	16.5" H x 21.5" W x 18.0" D (41.91cm H x 54.6cm W x 45.72cm D)		
Instrument Weight:	75lbs (34.02kg)		
Certifications	CE, TÜV®, ISO® 9001		

Description	Qty	Part No.
Silica Flash Cartridges (up to 200psig)	
4g	20	5146130
12g	20	5146131
40g	15	5146132
80g	12	5146133
120g	10	5146134
330g	4	5146135


Accessories and Spare Parts				
Description	Qty	Part No.		
Fraction Collection Trays				
12x75mm (126 vials per tray)	Each	8623401		
13x100mm (112 vials per tray)	Each	8623402		
16x125mm (134 vials per tray)	Each	8623403		
16x150mm (134 vials per tray)	Each	8623404		
18x150mm (60 vials per tray)	Each	8623405		
25x150mm (36 vials per tray)	Each	8623406		
For French Square Bottles (9 vials per tray)	Each	8623400		
Fraction Tubes				
12x75mm	1000 (4 pkg of 250)	8623413		
13x100mm	1000 (4 pkg of 250)	8623414		
16x125mm	1000 (4 pkg of 250)	8623415		
16x150mm	1000 (4 pkg of 250)	8623416		
18x150mm	1000 (4 pkg of 250)	8623410		
25x150mm	500	8623411		
480mL French Square Bottles	24	8623412		
Reveleris™ Silica TLC Plates				
20x20cm	25	8621250		
Adjustable Solid Loader Plunge	ers for:			
5g (15mL)	Each	5148510		
25g (75mL)	Each	5148511		
60g (150mL)	Each	5148512		
Empty Solid Loaders				
15mL	100	5142050		
75mL	100	5142051		
150mL	50	5147808		
Filled Solid Loaders	<u> </u>			
5g (15mL)	20	5142035		
25g (75mL)	16	5142034		
60g (150mL)	12	5147772		
Plastic Luer Lock Syringes (rub	ber-free plunger)			
5mL	5	5148507		
10mL	5	5148500		
30mL	5	5148504		
50mL	5	5148505		
· · · · · · · · · · · · · · · · · · ·				

Request a Demo Today

Reveleris[™] System	
Description	Part No.
Reveleris™ Flash Chromatography System*	5148513

*Included with the system:

- (2) 18 x 150mm Fraction Collection Trays (PN 8623405)
- (1) 25g Adjustable Solid Loader Plunger (PN 5148511)
- (1) 40g and (1) 120g Reveleris™ Cartridge
- (1) 25g Filled Solid Loader



Buy. Lease. Rent-to-Own.* Call today to find out how easy it can be.

*Check with your local Grace representative to find out if there is a flexible purchase program available in your area.

Grace Davison Discovery Sciences Regional Headquarters:

North America:

2051 Waukegan Road Deerfield, Illinois USA 60015-1899 T: 847.948.8600

E: discoverysciences@grace.com

Europe:

Brandstraat 12 B-9160 Lokeren, Belgium T: +32 (0)9-340-65 65

E: discoverysciences.BE@grace.com

17 Commerce Centre Opposite Krishna Hospital Paud Road Pune 411038 India T: 91 20 25425812

E: flexit.pune@grace.com

19th Floor, K.Wah Center 1010 Huai Hai Zhong Road Shanghai 200031 PRC T: 86-21-5467 4678 E: dsbiz.asia@grace.com

Australia/New Zealand:

2 Kerr Court Rowville, 3178 Victoria, Australia T: +61 3 9237 6100

E: discoverysciences.AU@grace.com

The information presented herein is derived from our testing and experience. It is offered for your consideration and verification. Since operating conditions vary significantly, and are not under our control, we disclaim all warranties on the results that may be obtained from the use of our products. W. R. Grace & Co-Conn. and its subsidiaries can not be held responsible for any damage or injury occurring as a result of improper installation or use of its products. Grace reserves the right to change prices and/or specifications without prior notification.

